

Package ‘matchpointR’

May 8, 2026

Type Package

Title Tidy Access to Women's Tennis Association (WTA) Data

Version 0.1.0

Description Scrapes and tidies publicly available data from the Women's Tennis Association website (<<https://www.wtatennis.com>>). Provides helpers to retrieve player biographies, singles and doubles career overviews, match histories, live rankings and aggregate statistics. Dynamic pages are rendered through a headless 'Chrome' session so 'JavaScript'-generated content is fully captured, and all outputs are returned as tidy data frames suitable for downstream analysis or visualisation.

License Apache License (>= 2)

URL <https://github.com/Angnar-97/matchpointR>

BugReports <https://github.com/Angnar-97/matchpointR/issues>

Encoding UTF-8

Depends R (>= 4.1.0)

Imports chromote, cli, jsonlite, magick, purrr, rvest, stringr, tibble, xml2

Suggests httr2, knitr, rmarkdown, rsvg, testthat (>= 3.0.0), withr

Config/testthat/edition 3

RoxygenNote 7.3.3

VignetteBuilder knitr

NeedsCompilation no

Author Alejandro Navas González [aut, cre] (alias: Angnar)

Maintainer Alejandro Navas González <angnar@telaris.es>

Repository CRAN

Date/Publication 2026-04-28 19:40:12 UTC

Contents

| | |
|-------------------------|---|
| wta_get_player_basics | 2 |
| wta_get_player_matches | 3 |
| wta_get_player_overview | 3 |
| wta_get_rankings | 4 |
| wta_player_url | 5 |

| | |
|--------------|----------|
| Index | 6 |
|--------------|----------|

wta_get_player_basics *Get basic bio for a WTA player*

Description

Parses the profile header of a WTA player page and returns a one-row tibble with name, nationality, birth date, birth place, height and handedness. The bulk of the data is read from the page's JSON-LD (schema.org Person) block, which is more stable than the visual markup; height is read from the profile bio block as a fallback.

Usage

```
wta_get_player_basics(player_url, download_images = TRUE)
```

Arguments

player_url Character. Full URL to a player page. Build it with [wta_player_url\(\)](#) if you only have the numeric id.

download_images Logical. When TRUE (default) the headshot is downloaded into a magick-image object. Set to FALSE to skip the network round-trip and return only the image URL.

Value

A one-row `tibble::tibble()` with columns:

player_id Numeric WTA id parsed from @id.

name, given_name, family_name Name fields.

birth_date Date of birth (ISO 8601 character).

nationality, birth_place, birth_country Geography fields.

height Height string as shown on the bio (e.g. 5' 9" (1.74m)).

handedness Dominant hand ("Right-Handed" / "Left-Handed").

nationality_code 3-letter IOC/ISO code extracted from the flag image (e.g. "CZE", "USA").

player_image_url, nationality_flag_url Headshot and flag URLs.

player_image magick-image of the headshot, when `download_images = TRUE`.

nationality_flag magick-image of the flag SVG, when `download_images = TRUE` and the suggested package **rsvg** is installed (otherwise NA).

Examples

```
wta_get_player_basics(wta_player_url(320301, "katerina-siniakova"))
```

wta_get_player_matches

Get the match history for a WTA player

Description

Walks the dynamic "Matches" page of a player profile, clicking the "Show more" button until the full history is loaded, and returns one row per match with tournament, round, opponent, score and result.

Usage

```
wta_get_player_matches(player_url, max_clicks = 50L)
```

Arguments

| | |
|------------|--|
| player_url | Character. URL to the player page; the function normalises to the /matches path automatically. |
| max_clicks | Integer. Safety cap for the "Show more" click loop. Defaults to 50. |

Value

A `tibble::tibble()` with one row per match and columns: tournament, tournament_date, round, opponent, opponent_seed, opponent_country, opponent_rank, score, result.

Examples

```
url <- wta_player_url(320301, "katerina-siniakova", "matches")
wta_get_player_matches(url)
```

wta_get_player_overview

Get a WTA player's career highlights

Description

Returns the structured "additional properties" block from the page's JSON-LD: current singles and doubles rank, career titles, career prize money. Supplements with the career-high singles rank read from the bio side panel.

Usage

```
wta_get_player_overview(player_url)
```

Arguments

player_url Character. URL to the player overview page.

Value

A long-format `tibble::tibble()` with columns metric and value. Rows include singles_rank, doubles_rank, singles_career_titles, doubles_career_titles, career_prize_money, career_high.

Examples

```
wta_get_player_overview(wta_player_url(320301, "katerina-siniakova"))
```

| | |
|------------------|-------------------------------------|
| wta_get_rankings | <i>Get the current WTA rankings</i> |
|------------------|-------------------------------------|

Description

Scrapes the rankings table at <https://www.wtatennis.com/rankings/singles> (or /doubles) and returns a tidy tibble. The initial page renders the first 50 rows; increase the browser dwell time with wait if the widget hasn't hydrated yet.

Usage

```
wta_get_rankings(type = c("singles", "doubles"), top = NULL, wait = 12)
```

Arguments

type Character. One of "singles", "doubles". Defaults to "singles".

top Integer. Limit the output to the top N ranked players. NULL (default) keeps every row rendered by the page.

wait Numeric. Seconds to wait for the rankings widget to hydrate after navigation. Defaults to 12.

Value

A `tibble::tibble()` with one row per player and columns: rank, player_id, player, country, age, tournaments_played, points.

Examples

```
wta_get_rankings("singles", top = 50)
```

| | |
|----------------|-------------------------------|
| wta_player_url | <i>Build a WTA player URL</i> |
|----------------|-------------------------------|

Description

Convenience wrapper to assemble a canonical player URL from a numeric id and an optional slug.

Usage

```
wta_player_url(id, slug = NULL, section = c("overview", "matches"))
```

Arguments

| | |
|---------|--|
| id | Character or integer. The WTA numeric player id (e.g. 320301). |
| slug | Optional character. Player slug (e.g. "katerina-siniakova"). When omitted the URL still resolves — WTA redirects to the canonical one. |
| section | Optional character. Page section to append as a path segment, one of "overview", "matches". Defaults to "overview", which maps to the bare player URL. |

Value

A single character string with the full URL.

Examples

```
wta_player_url(320301, "katerina-siniakova")  
wta_player_url(320301, "katerina-siniakova", "matches")
```

Index

`tibble::tibble()`, [2-4](#)

`wta_get_player_basics`, [2](#)

`wta_get_player_matches`, [3](#)

`wta_get_player_overview`, [3](#)

`wta_get_rankings`, [4](#)

`wta_player_url`, [5](#)

`wta_player_url()`, [2](#)