

# Package ‘minimalistGODB’

May 4, 2025

**Version** 1.1.0

**Date** 2025-05-04

**Title** Build a Minimalist Gene Ontology (GO) Database (GODB)

**Maintainer** Barry Zeeberg <barryz2013@gmail.com>

**Author** Barry Zeeberg [aut, cre]

**Depends** R (>= 4.2.0)

**LazyData** true

**LazyDataCompression** xz

**Description** Normally building a GODB is fairly complicated, involving downloading multiple database files and using these to build e.g. a 'mySQL' database. Accessing this database is also complicated, involving an intimate knowledge of the database in order to construct reliable queries. Here we have a more modest goal, generating GOGO3, which is a stripped down version of the GODB that was originally restricted to human genes as designated by the HUGO Gene Nomenclature Committee (HGNC) (see <<https://geneontology.org/>>). I have now added about two dozen additional species, namely all species represented on the Gene Ontology download page <<https://current.geneontology.org/products/pages/downloads.html>>. This covers most of the model organisms that are commonly used in bio-medical and basic research (assuming that anyone still has a grant to do such research). This can be built in a matter of seconds from 2 easily downloaded files (see <<https://current.geneontology.org/products/pages/downloads.html>> and <<https://geneontology.org/docs/download-ontology/>>), and it can be queried by e.g. `w<-which(GOGO3[, `HGNC`] %in% hgncList)` where GOGO3 is a matrix representing the minimalist GODB and hgncList is a list of gene identifiers. This database will be used in my upcoming package 'GoMiner' which is based on my previous publication (see Zeeberg, B.R., Feng, W., Wang, G. et al. (2003)<[doi:10.1186/gb-2003-4-4-r28](https://doi.org/10.1186/gb-2003-4-4-r28)>). Relevant .RData files are available from GitHub (<<https://github.com/barryzee/GO/tree/main/databases>>).

**License** GPL (>= 2)

**Encoding** UTF-8

**VignetteBuilder** knitr

**Suggests** knitr, rmarkdown, testthat (>= 3.0.0)

**RoxygenNote** 7.3.2

**Config/testthat/edition** 3

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2025-05-04 14:00:02 UTC

## Contents

buildGODatabase . . . . .	2
buildGODatabaseDriver . . . . .	3
GO . . . . .	4
GOA . . . . .	5
GOGOAsmall . . . . .	5
grepList . . . . .	5
joinGO . . . . .	6
parseGOA . . . . .	7
parseGOBASIC . . . . .	8
restrictGOA . . . . .	9
subsetGOGO . . . . .	9

**Index** **10**

---

buildGODatabase	<i>buildGODatabase</i>
-----------------	------------------------

---

## Description

driver to build GO database

## Usage

```
buildGODatabase(goa, gobasic, dir = NULL, verbose = FALSE)
```

## Arguments

goa	character string path name to downloaded goa_human.gaf
gobasic	character string path name to downloaded go-basic.obo
dir	character string path name to directory to hold subdirectory GODB_RDATA
verbose	Boolean if TRUE print out some diagnostic info

**Details**

download goa\_human.gaf from <https://current.geneontology.org/products/pages/downloads.html> download go-basic.obo from <https://geneontology.org/docs/download-ontology/> parameter dir should be omitted or NULL except for the developer harvesting the updated .RData DBs

The output GOGO was saved as an .RData file. This was too large for CRAN. It is available from <https://github.com/barryzee/GO/tree/main/databases>

**Value**

returns no value but has side effect of saving GOGO3 to a subdirectory

**Examples**

```
## Not run:
# replace my path names for goa and gobasic with your own!!
# these were obtained from the download sites listed in 'details' section
goa<-"~/goa_human.gaf"
gobasic<-"~/go-basic.obo"
buildGODatabase(goa,gobasic,dir="~/",verbose=TRUE)
# > dim(GOGO)
# [1] 720139      5
# > GOGO[1:5,]
#      HGNC      GO      RELATION      NAME      ONTOLOGY
# [1,] "NUDT4B"    "GO:0003723" "enables"  "RNA binding"  "molecular_function"
# [2,] "NUDT4B"    "GO:0005515" "enables"  "protein binding"  "molecular_function"
# [3,] "NUDT4B"    "GO:0046872" "enables"  "metal ion binding"  "molecular_function"
# [4,] "NUDT4B"    "GO:0005829" "located_in"  "cytosol"      "cellular_component"
# [5,] "TRBV200R9-2" "GO:0002376" "involved_in" "immune system process" "biological_process"

## End(Not run)

# here is a small example that you can run
f1<-system.file("extdata","goa_human.small.gaf",package="minimalistGODB")
f2<-system.file("extdata","go-basic.small.obo",package="minimalistGODB")
buildGODatabase(f1,f2,verbose=TRUE)
```

---

buildGODatabaseDriver *buildGODatabaseDriver*

---

**Description**

driver to build multiple GO databases for many species

**Usage**

```
buildGODatabaseDriver(goaDir, gobasic, dir = NULL, verbose = FALSE)
```

**Arguments**

goaDir	character string path name to directory containing downloaded goa .gaf files
gobasic	character string path name to downloaded go-basic.obo
dir	character string path name to directory to hold species database subdirectories
verbose	Boolean if TRUE print out some diagnostic info

**Details**

download goa .gaf files from <https://current.geneontology.org/products/pages/downloads.html> download go-basic.obo from <https://geneontology.org/docs/download-ontology/>

The output GOGO3 was saved as an .RData file. This was too large for CRAN. It is available from <https://github.com/barryzee/GO/tree/main/databases>

**Value**

returns GO database with columns c("HGNC","GO","RELATION","NAME","ONTOLOGY")

**Examples**

```
## Not run:
# replace my path names for goa and gobasic with your own!!
# these were obtained from the download sites listed in 'details' section
goaDir<-"~/Users/barryzeeberg/Downloads/gaf/"
gobasic<-"~/go-basic.obo"
buildGODatabaseDriver(goaDir,gobasic,dir="~/personal",verbose=TRUE)

## End(Not run)

# here is a small example that you can run
goaDir<-system.file("extdata",package="minimalistGODB")
gobasic<-system.file("extdata","go-basic.small.obo",package="minimalistGODB")
dir<-tempdir()
buildGODatabaseDriver(goaDir,gobasic,dir,verbose=TRUE)
```

---

GO

*minimalistGODB data set*


---

**Description**

minimalistGODB data set generated by parseGOBASIC()

**Usage**

```
data(GO)
```

---

GOA	<i>minimalistGODB data set</i>
-----	--------------------------------

---

**Description**

minimalistGODB data set generated by parseGOA()

**Usage**

```
data(GOA)
```

---

GOGOAsmall	<i>minimalistGODB data set</i>
------------	--------------------------------

---

**Description**

small version of minimalistGODB data set generated by buildGODatabase()

**Usage**

```
data(GOGOAsmall)
```

---

grepList	<i>grepList</i>
----------	-----------------

---

**Description**

determine the correct pattern to grep for depending on the species

**Usage**

```
grepList(gaf)
```

**Arguments**

gaf	character string containing the basename of the gaf file downloaded from <a href="https://current.geneontology.org/">https://current.geneontology.org/</a>
-----	--

**Value**

returns the correct pattern to grep for

**Examples**

```
pattern<-grepList("tair.gaf")
```

---

joinGO	<i>joinGO</i>
--------	---------------

---

**Description**

join the outputs of parseGOA and parseGOBASIC to add the GO category name and the ontology to GOA

**Usage**

```
joinGO(GOA, GO)
```

**Arguments**

GOA	output of parseGOA()
GO	output of parseGOBASIC()

**Value**

returns a matrix with columns c("HGNC","GO","RELATION","NAME","ONTOLOGY")

**Examples**

```
GOGOAOA<-joinGO(GOA,GO)
# GOGOAOA[1:5,]
# HGNC      GO      RELATION      NAME      ONTOLOGY
# [1,] "NUDT4B"    "GO:0003723" "enables"   "RNA binding"    "molecular_function"
# [2,] "NUDT4B"    "GO:0005515" "enables"   "protein binding" "molecular_function"
# [3,] "NUDT4B"    "GO:0046872" "enables"   "metal ion binding" "molecular_function"
# [4,] "NUDT4B"    "GO:0005829" "located_in" "cytosol"        "cellular_component"
# v[5,] "TRBV200R9-2" "GO:0002376" "involved_in" "immune system process" "biological_process"
# GO_NAME
# [1,] "GO_0003723__RNA_binding"
# [2,] "GO_0005515__protein_binding"
# [3,] "GO_0046872__metal_ion_binding"
# [4,] "GO_0005829__cytosol"
# [5,] "GO_0002376__immune_system_process"

# querying GOGOAOA to compute gene enrichment of some GO categories
hgncList<-GOGOAOA[1:1000,"HGNC"]
ontology<-"biological_process"
w<-which(GOGOAOA[, "ONTOLOGY"] == ontology)
GOGOAOA<-GOGOAOA[w,]
w<-which(GOGOAOA[, "HGNC"] %in% hgncList)
t<-sort(table(GOGOAOA[w, "NAME"]),decreasing=TRUE)[1:10]
```

---

parseGOA

*parseGOA*

---

## Description

parse goa\_human.gaf

## Usage

parseGOA(goa)

## Arguments

goa                    character string path name to downloaded goa\_human.gaf

## Details

download goa\_human.gaf from <https://current.geneontology.org/products/pages/downloads.html>

## Value

returns matrix with columns c("HGNC","GO","RELATION")

## Examples

```
## Not run:
# replace my path name for goa with your own!!
# this was obtained from the download sites listed in 'details' section
GOA<-parseGOA("~/goa_human.gaf")
# GOA[1:5,]
#   HGNC      GO      RELATION
# [1,] "NUDT4B"    "GO:0003723" "enables"
# [2,] "NUDT4B"    "GO:0005515" "enables"
# [3,] "NUDT4B"    "GO:0046872" "enables"
# [4,] "NUDT4B"    "GO:0005829" "located_in"
# [5,] "TRBV200R9-2" "GO:0002376" "involved_in"

## End(Not run)
# here is a small example that you can run
f<-system.file("extdata","goa_human.small.gaf",package="minimalistGODB")
GOAsmall<-parseGOA(f)
```

---

 parseGOBASIC

*parseGOBASIC*


---

## Description

parse go-basic.obo

## Usage

```
parseGOBASIC(gobasic, verbose = FALSE)
```

## Arguments

gobasic	character string path name to downloaded go-basic.obo
verbose	Boolean if TRUE print out some diagnostic info

## Details

download go-basic.obo from <https://geneontology.org/docs/download-ontology/>

## Value

returns a list whose components are c("m", "bp", "mf", "cc")

## Examples

```
## Not run:
# replace my path name for gobasic with your own!!
# this was obtained from the download sites listed in 'details' section
GO<-parseGOBASIC("~/go-basic.obo",verbose=FALSE)
# GO$bp[1:5,]
#           GO           NAME           ONTOLOGY
# GO:000001 "GO:000001" "mitochondrion inheritance" "biological_process"
# GO:000002 "GO:000002" "mitochondrial genome maintenance" "biological_process"
# GO:000011 "GO:000011" "vacuole inheritance" "biological_process"
# GO:000012 "GO:000012" "single strand break repair" "biological_process"
# GO:000017 "GO:000017" "alpha-glucoside transport" "biological_process"

## End(Not run)

# here is a small example that you can run
f<-system.file("extdata","go-basic.small.obo",package="minimalistGOB")
GOsmall<-parseGOBASIC(f)
```



---

restrictGOA	<i>restrictGOA</i>
-------------	--------------------

---

**Description**

restrict GO categories in GOA to those in GO

**Usage**

```
restrictGOA(GOA, GO)
```

**Arguments**

GOA	output of parseGOA()
GO	output of parseGOBASIC()

**Value**

returns a restricted version of GOA

**Examples**

```
GOA<-restrictGOA(GOA,GO)
```

---

subsetGOGO	<i>subsetGOGO</i>
------------	-------------------

---

**Description**

split GOGO into 3 separate ontologies

**Usage**

```
subsetGOGO(GOGO)
```

**Arguments**

GOGO	return value of minimalistGODB::joinGO()
------	--

**Value**

returns a list containing subsets of GOGO for each ontology, unique gene and cat lists, and stats

**Examples**

```
#load("data/GOGOsmall.RData")
GOGO3small<-subsetGOGO(GOGOsmall)
```

# Index

buildGODatabase, [2](#)  
buildGODatabaseDriver, [3](#)

GO, [4](#)  
GOA, [5](#)  
GOGOAsmall, [5](#)  
grepList, [5](#)

joinGO, [6](#)

parseGOA, [7](#)  
parseGOBASIC, [8](#)

restrictGOA, [9](#)

subsetGOGO, [9](#)